

WEST Search History

DATE: Thursday, September 17, 2009

Hide? Set Name Query

Hit Count

Prior Art

DB=PGPB,USPT,UPAD; PLUR=YES; OP=ADJ

<input type="checkbox"/>	L15	L14 and (compil\$).clm.	1
<input type="checkbox"/>	L14	L12 and operand.clm.	5
<input type="checkbox"/>	L13	L12 and oprand.clm.	0
<input type="checkbox"/>	L12	(type).clm. and (encompass\$).clm.	3698
<input type="checkbox"/>	L11	L10 and (most encompassed).clm.	1
<input type="checkbox"/>	L10	(target type).clm.	323

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<input type="checkbox"/>	L9	L7 and (encompass\$ near type)	8
<input type="checkbox"/>	L8	L7 and encompass\$	530
<input type="checkbox"/>	L7	L6 and operand and operator	1790
<input type="checkbox"/>	L6	L5 and compil\$	36111
<input type="checkbox"/>	L5	(data near type\$)	202927
<input type="checkbox"/>	L4	L3 and "C#"	257
<input type="checkbox"/>	L3	L2 and (operand and operator)	270
<input type="checkbox"/>	L2	L1 and (data near type\$)	2866
<input type="checkbox"/>	L1	(717/106 717/107 717/108 717/109 717/110 717/111 717/112 717/113 717/114 717/115 717/116 717/117 717/118 717/119 717/136 717/137 717/138 717/139 717/140 717/141 717/142 717/143 717/144).ccls.	7327

END OF SEARCH HISTORY

Web Images Videos Maps News Shopping Gmail more ▾

Search settings | Sign in



[Advanced Search](#)

Web [Show options...](#)

Results **1** - **10** of

6.4.4 User-defined explicit conversions (C#)

If no **most encompassed type** can be found, then the conversion is ambiguous and ...

Otherwise, SX is the **most encompassing type** in the combined set of source ...

[msdn.microsoft.com/en-us/library/aa691303\(VS.71\).aspx](http://msdn.microsoft.com/en-us/library/aa691303(VS.71).aspx) - [Cached](#) - [Similar](#)

6.4.3 User-defined implicit conversions (C#)

If any of the operators in U convert from S , then SX is S . Otherwise, SX is the **most encompassed type** in the combined set of target **types** of the operators ...

[msdn.microsoft.com/en-us/library/aa691302\(VS.71\).aspx](http://msdn.microsoft.com/en-us/library/aa691302(VS.71).aspx) - [Cached](#) - [Similar](#)

[More results from msdn.microsoft.com »](#)

ECMA-334: 13.4.2 Evaluation of user-defined conversions at C# ...

If no single **type encompasses** all other **types**, then the set has no **most**

encompassing ... The **most encompassed type** in a set of **types** is the one **type** that is ...

en.csharp-online.net/ECMA-334:_13.4.2_Evaluation_of_user-defined_conversions -

[Cached](#) - [Similar](#)

ECMA-334: 13.4.3 User-defined implicit conversions at C# Online ...

Otherwise, SX is the **most encompassed type** in the combined set of source **types** of the operators in U . If exactly one **most encompassed type** cannot be found, ...

en.csharp-online.net/ECMA-334:_13.4.3_User-defined_implicit_conversions -

[Cached](#) - [Similar](#)

[Show more results from en.csharp-online.net](#)

Explicit conversion from SomeType* to IntPtr - C# / C Sharp answers

3 posts - 2 authors - Last post: Nov 16, 2005

S, then SX is the **most encompassed type** in the combined set of source **types** ... 10 If no

most encompassed type can be found, then the ...

bytes.com/.../255685-explicit-conversion-sometype-intptr - [Cached](#) - [Similar](#)

Chris Burrows' Blog : Dynamic type parameter constraints in C# 4

As in the above code, you cannot specify **type** parameter constraints that involve ... is

supposed to be the "**most encompassed type**" of the constraints given, ...

blogs.msdn.com/.../dynamic-type-parameter-constraints-in-c-4.aspx - [Cached](#) - [Similar](#)

Hyperlinked ECMA C# Language Specification

5 If no single **type encompasses** all other **types**, then the set has no **most encompassing type**. 6 In more intuitive terms, the **most encompassing type** is the ...

www.jaggersoft.com/csharp_standard/13.4.2.htm - [Cached](#) - [Similar](#)

The C# programming language - Google Books Result

by Anders Hejlsberg, Scott Wiltamuth, Peter Golde - 2004 - Computers - 644 pages

The **most encompassing type** in a set of **types** is the one **type** that **encompasses** ... If no

single **type encompasses** all other **types**, then the set has no **most** ...

books.google.com/books?isbn=0321154916...

C# annotated standard - Google Books Result

by Jon Jagger, Nigel Perry, Peter Sestoft - 2007 - Computers - 825 pages

If exactly one **most encompassed type** cannot be found, then the conversion is ambiguous

and a compile-time error occurs. • Find the **most** specific target **type** ...

books.google.com/books?isbn=0123725119...

[MSDN Blog Postings » Blog Archive » Dynamic **type** parameter ...](#)

... **type** parameter, T in this case, and the spec says that T's effective base class is supposed to be the "**most encompassed type**" of the constraints given, ...

msdnrss.thecoderblogs.com/.../dynamic-type-parameter-constraints-in-c-4/ -

[Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

most encompassed type

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us im](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Priva](#)